


Selected Facts for Concho County - 1998

Demography

Nintality

Estimated Population: 3,049 Population Per Square Mile: 3.1 Population Rank Among Texas' 254 Counties: 230 Area in Square Miles: 992



Socioeconomic Indicators							
	County	State					
Unemployment Rate	2.8 %	4.8 %					
Average Monthly TANF (Temporary Assistance to Needy Families) Recipients	35	474,755					
Average Monthly Food Stamp Participants	195	1,705,795					
Medicaid Expenditures ¹	\$ 1,783,429	\$ 7,139,928,839					

Medicaid (Title XIX)			
medicala (Title XIX)	County	State	
Unduplicated Count of:			
Medicaid Eligibles ²	357	2,680,583	
Medicaid Recipients ²	327	2,324,810	
Medicaid Clients Served:			
Physicians Services	252	1,783,470	
Inpatient Hospital Services	75	444,750	
Outpatient Hospital Services	182	1,011,359	
Prescribed Medications	270	1,894,447	
Family Planning Services	18	181,434	
THSteps (EPSDT) Checkups	134	1,103,223	

natality				
			PERC	ENT
		Number ³	County	State
Total Live Births		29		
Adolescent Mothe	ers (<18)	1	3.4 %	6.4 %
Unmarried Mothe		10	34.5 %	31.5 %
Low Birth Weight	3	1	3.6 %	7.4 %
Late or No Prena	tal Care ³	12	44.4 %	20.7 %
Fertility Rate ⁴	County:	54.8	State: 76.1	

Communicable Diseases - Reported Cases					
		RAT	E ⁴		
	Number	County	State		
Tuberculosis	0		9.2		
Sexually Transmitted Diseases					
Primary and Secondary Syphilis	0		2.2		
Gonorrhea	0		166.7		
Chlamydia	1		306.8		
AIDS	0		21.3		
Hepatitis A	1		17.9		
Varicella (chickenpox)	0		103.7		

Mortality		RAT	E 4			RAT	E ⁴
	Deaths 3	County	State		Deaths ³	County	State
Deaths From All Causes	28	333.0	504.1	Diabetes	2		17.8
Cardiovascular Disease	4		179.7	Unintentional Injury (Accidents)	3		34.0
Heart Disease	2		139.3	Motor Vehicle Injury	0		18.7
Stroke	2		29.5	Homicide	0		7.5
All Cancer	10		124.0	Suicide	1		10.4
Lung Cancer	2		37.6	Work-related Injury	0		2.3
Female Breast Cancer	1		18.7				
Chronic Obstructive				Infant Deaths	0		6.4
Pulmonary Disease	1		21.9	Fetal Deaths ³	0		5.8

¹ Excluding Disproportionate Share Hospital payments.

² A county with more recipients than eligibles may reflect claims paid for a service rendered to a recipient in a prior fiscal year.

³ All births and deaths are by county of residence. Low birth weight represents live-born infants weighing less than 2,500 grams at birth. Late prenatal care refers to mothers who did not receive prenatal care during the first trimester of pregnancy. Fetal deaths are those occurring after 20 weeks gestation and prior to birth.

⁴ Fertility rates are per 1,000 women ages 15 - 44. Infant death rates and fetal death rates are per 1,000 live births. Work-related injury death rates are per 100,000 population. The remaining death rates have been age-adjusted to the 1940 U.S. standard population per 100,000 population. Communicable disease rates are also per 100,000 population. Rates and percents have not been calculated if 20 or fewer births, deaths or cases occurred, as indicated by "----".

State	Health Facilities County State
28,903	
	Acute Care Hospitals
3,890	Licensed Beds
2,377	Staffed Beds
150,817	Disproportionate share hospital
131	payments \$ 94,821 \$1,064,966,545
6,991	
2,826	Nursing Homes
,	Licensed Beds 82 127,437
9,929	
	28,903 684 3,890 2,377 150,817 131 6,991 2,826

No areas/populations in Concho County were designated as a Health Professional Shortage Area as of January 31, 2000. Some subcounty areas/populations in Concho County were designated as a Medically Underserved Area as of January 31, 2000. For updated information, please check with the Health Professions Resource Center at 512-458-7261 or at http://www.tdh.state.tx.us/dpa/.

Texas Department of Health Program Summary for Concho County

Breast and Cervical Cancer Control Program ² Mammograms performed	Primary Health Care/COPH Services ² Reported clients served
Children's Health Services Children's health services available to county residents No	Women's Health Services Prenatal and postpartum care services available
Observice the III and Bischlad Obliderate Osmics 2	to county residents No
Chronically III and Disabled Children's Services ² Eligible children	Kidney Health Care ²
Children served	ESRD patients receiving life-sustaining treatments
Emergency Medical Services	Radiation Control Program
Ambulances permitted	Health-related permit locations
Family Planning Services (Title V and XX)	Tuberculosis Elimination Division ¹
Family planning services available to county residents Yes	TB cases completing drug therapy
Food and Drug Safety	Women, Infants, and Children's Nutrition ²
Facilities licensed, registered, permitted or accredited	Clients receiving benefits78
	Zoonosis Control
Immunization Division	Number of animals diagnosed positive
Vaccine doses administered (less than age 20)	for rabies
Oral Health Services ² Children receiving dental care	

¹Data are reported by county of location of the provider.

²Data are reported by county of residence of the client.

Rankings by Selected Demographic and Public Health Measures 1996-1998 Average Values

Please note that the values presented on this page are based on a three-year average; they will not agree with values and rates shown on pages 1 and 2 of this fact sheet.

Demography	Value	Rank Q	uartile	Comparison with Texas	Range of Values Ranked	Texas Value
Population (3-yr. avg.)	3,115	229/254	1	N/A	96 - 3,159,990	19,442,404
Percent Minority ¹	44.3 %	63/254	4	HIGH	3.8 % - 97.9 %	42.1 %
Percent age 0 - 4	4.3 %	245/254	1	LOW	0.0 % - 14.0 %	8.5 %
Percent age 65+	18.2 %	62/254	4	HIGH	4.8 % - 33.1 %	10.1 %
Unemployment Rate ²	2.6 %	233/254	1	LOW	1.7 % - 32.8 %	5.3 %

¹ Minority population is defined as black, Hispanic or other

² Percent of the active labor force

Natality	Value	Rank Q	uartile	Comparison with Texas	Range of Values Ranked	Texas Value
Births (3-yr. total) 78						
Birth Rate ³	8.3	247/254	1	LOW	0.0 - 28.0	17.3
Fertility Rate ⁴	48.5	240/254	1	LOW	0.0 - 121.6	75.3
Unmarried Mothers	25.6 %	189/250	2		11.3 % - 54.2 %	30.9 %
Late or No Prenatal Care ⁵	32.0 %	35/250	4	HIGH	4.8% - 43.1 %	21.3 %
Adolescent Mothers ⁶	5.2 %	205/249	1		0.0 % - 13.5 %	5.9 %
Low Birth Weight ⁷	7.8 %	95/250	3		0.0 % - 14.9 %	7.3 %

³ Live Births per 1,000 population

⁷ Live-born infants weighing less than 2,500 grams as % of all births (-- in column indicates no births)

Mortality	Value	Rank Q	uartile	Comparison with Texas	Range of Values Ranked	Texas Value
Deaths (3-yr. total) 130						
Death Rate	542.4	114/249	3		313.7 - 713.2	513.1
Heart Disease Rate	104.4	228/238	1		78.2 - 237.3	143.3
Stroke Rate	23.5	NR/176	1		14.9 - 53.6	30.4
Cancer Rate	126.1	137/230	2		63.4 - 203.7	126.0
COPD Rate	42.3	NR/145	4		6.0 - 55.1	22.3
Diabetes Rate	50.5	NR/112	4	HIGH	8.1 - 49.0	17.7
Accident Rate	28.2	NR/152	1		22.9 - 115.9	34.0
Infant Mortality ⁸	0.0	NR/46	1		3.7 - 11.1	6.4

⁸ Infant Mortality is deaths of infants under the age of one year per 1,000 live births (-- in column indicates no births) All other death rates are per 100,000 population and are age adjusted to the 1940 U.S. standard population

Morbidity	Value	Rank Q	uartile	Comparison with Texas	Range of Values Ranked	Texas Value
Chlamydia Rate	64.2	NR/191	1	LOW	29.3 - 570.9	264.5
Gonorrhea Rate	10.7	NR/119	1	LOW	11.9 - 344.3	141.7
AIDS Rate	21.4	NR/35	4		6.0 - 53.3	23.7
Reported Cases per 100 000 l	Population					

A rank of 1 indicates that the measure is the highest value among all ranked counties.

Mortality and morbidity measures with 20 or less numerator events in the three-year period are not ranked (NR). Natality measures based on a denominator of 20 or less are not ranked (NR). The second number in the rank column indicates the number of counties ranked for that measure. Quartiles are reported for all counties. A value of 1 indicates that the measure falls in the lowest 25% of all values, 2 in the next 25%, etc.

The designation of HIGH or LOW reflects a statistical comparison with the overall rate for Texas. Lack of a HIGH/LOW designation indicates either that the rate is not sufficiently different from the Texas rate or that it is not based on a sufficiently large number of events. This comparison is made for all 254 counties. Rates and values for counties or regions with small amounts of data should be used with caution as they are more susceptible to random variation and may not provide consistent estimates. Rates that appear to be high or low, but that do not have a HIGH/LOW designation are particularly unreliable. Conversely, small differences in rates that may be of little practical importance can produce a statistically significant comparison if they are based on a large amount of data. This is particularly likely to occur in regional comparisons, or with very large counties.

⁴ Live Births per 1,000 females age 15 – 44

⁵ Births to mothers who did not receive prenatal care in first trimester of pregnancy as % of all births (-- in column indicates no births)

⁶ Births to mothers less than 18 years old as % of all births (-- in column indicates no births)